# HANGZHOU HANHAO CHEMICAL CO., LTD

**Plant:** Jiangdong Development Zone, Great Jiangdong District, Hangzhou China **Office:** 2103 Bldg1, Dacheng Plaza, Shixin Road, Xiaoshan, Hangzhou, China **Tel:**+86-571-82502631/82551631 **Fax:**+86-571-82722631

#### TECHNICAL DATA SHEET

#### **Product Description:**

Product Name: Fast Yellow HD
Color Index: Pigment Yellow 138

C.I.No. 56300

CAS No. 30125-47-4

EC No. 250-063-5

Chemical Nature: Quinolones

Chemical Formula  $C_{26}H_6Cl_8N_2O_4$ 

## **Technical Properties:**

A reddish yellow pigment powder, with excellent processing stability, high transparency, excellent heat resistance and light fastness

#### **Application:**

Recommended for industrial paints, water based paints, solvent based paints, coil coatings, powder coatings, automotive paints, textile printing.

# **Physical Properties**

Density(g/cm3)	1.8	
Moisture (%)	≤1.5	
Water Soluble Matter	≤1.0	
Oil Absorption (ml / 100g)	30-40	
Electric conductivity (us/cm)	≤500	
Fineness(80mesh)	≤5.0	
PH value	6.5-7.5	

## Fastness Properties (5=Excellent, 1=Poor)

Acid Resistance	5	Soap Resistance	5
Alkali Resistance	5	<b>Bleeding Resistance</b>	5
<b>Alcohol Resistance</b>	5	<b>Migration Resistance</b>	5
<b>Ester Resistance</b>	5	<b>Heat Resistance</b> (℃)	280
<b>Benzene Resistance</b>	5	Light	8
<b>Ketone Resistance</b>	5	Fastness(8=Excellent)	

Note: The above information is provided as guidelines for your reference only. The accurate effects should base on the test results in laboratory.